

151' to 181' Typical Structure Height



Note

This drawing was prepared by POWER with information provided by CNP for a specific project, taking into consideration the specific and unique requirements of the project. Reuse of this drawing or any information contained in the drawing for any purpose is prohibited unless written permission from both POWER and POWER's client is granted.

Revised: November 2020 Printed: November 2020




345 KV SPACE CITY SOLAR PROJECT

FIGURE 1-2
TYPICAL 345 KV DOUBLECIRCUIT CAPABLE VERTICAL
STEEL TOWER WITHIN NEW ROW






150' to 180' Typical Structure Height



Note

This drawing was prepared by POWER with information provided by CNP for a specific project, taking into consideration the specific and unique requirements of the project. Reuse of this drawing or any information contained in the drawing for any purpose is prohibited unless written permission from both POWER and POWER's client is granted.

Revised: November 2020 Printed: November 2020




345 KV SPACE CITY SOLAR PROJECT

FIGURE 1-3 TYPICAL 345 KV DOUBLE-CIRCUIT CAPABLE VERTICAL STEEL POLE WITHIN NEW ROW





45' to 65' Typical Structure Height




-KOPOSED 160 CNF KIGHT OF WAT

Note

This drawing was prepared by POWER with information provided by CNP for a specific project, taking into consideration the specific and unique requirements of the project. Reuse of this drawing or any information contained in the drawing for any purpose is prohibited unless written permission from both POWER and POWER's client is granted.

Revised: November 2020 Printed: November 2020



345 KV SPACE CITY SOLAR PROJECT

FIGURE 1-4
TYPICAL 345 KV SINGLECIRCUIT HORIZONTAL FLAT TAP
STEEL POLE WITHIN NEW ROW



