

Table of Contents



Arkansas Energy Star® Qualifying Foodservice Equipment

Equipment must meet program specification requirements. For programs listed with Energy Star® ratings refer to this chart.

[Fryers](#)

[Griddles](#)

[Ovens](#)

[Steamers](#)

Energy Star® Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Width (in.)	Depth (in.)	Shortening Capacity (lbs)	Cooking Energy Efficiency (%)	Energy Use (Idle Energy Rate) (Btu/hr)	Date Available on Market	Date Qualified
American Range	AF50-HE		Standard Vat	Gas	16	31	50	50	7966	4/15/2020	4/28/2020
Electrolux	AFRG16		Standard Vat	Gas	13	16	40	54	8930	7/14/2015	7/13/2015
Frymaster	#1814G	,#1814G,11814G, 21814G, 31814G, 41814G; #1814GF,11814GF, 21814GF, 31814GF, 41814GF	Large Vat	Gas	18	14	63	56	9573	2/1/2012	11/18/2011
Frymaster	BIGL#30	,BIGL#30,BIGL130,BIGL230,BIGL330, BIGL430,BIGL530; ,BIGLA#30,BIGLA230,BIGLA330,BIGLA430,BIGLA530	Standard Vat	Gas	13	14	30	54	4010	12/1/2010	8/7/2012
Frymaster	ESG35T		Standard Vat	Gas	16	34	37	52	6143	1/1/2014	10/29/2013
Frymaster	FPGL#30	,#FQG30U,2FQG30U,3FQG30U,4FQG30U,5FQG30U; ,FMGL#30,FMGL130,FMGL230,FMGL330,FMGL430,FMGL530; ,FPGL#30,FPGL130,FPGL230, FPGL330,FPGL430,FPGL530	Standard Vat	Gas	13	14	31	56	4709	12/1/2010	8/2/2011
Frymaster	HD#50G	,CFHD#50G,CFHD150G; ,HD#50G,HD150G, HD250G, HD350G, HD450G, HD550G, HD650G; ,SCFHD#50G,SCFHD250G, SCFHD350G, SCFHD450G, SCFHD550G, SCFHD650G; ,YCFH#50G,YCFH114G; ,YSCFH#50G,YSCFH214G, YSCFH314, YSCFH414	Standard Vat	Gas	14	14	50	51	7124	12/1/2010	8/2/2011
Frymaster	LHD#65	,FPLHD#65,FPLHD265, FPLHD365, FPLHD465, FPLHD565, FPLHD665; ,LHD#65,LHD165	Large Vat	Gas	18	18	100	57	10306	10/15/2012	9/24/2012

Energy Star® Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Width (in.)	Depth (in.)	Shortening Capacity (lbs)	Cooking Energy Efficiency (%)	Energy Use (Idle Energy Rate) (Btu/hr)	Date Available on Market	Date Qualified
Frymaster	PH#55	,BIPH#55,BIPH155, BIPH255, BIPH355, BIPH455, BIPH555, BIPH655; ,FMPH#55,FMPH155, FMPH255, FMPH355, FMPH455, FMPH555, FMPH655; ,FPH#55,FPH155; ,FPPH#55,FPPH255, FPPH355, FPPH455, FPPH555, FPPH655; ,MPH#55,; ,PH#55,PH155, PH255, PH355, PH455, PH555, PH655	Standard Vat	Gas	14	15	50	54	4429	11/1/2010	7/29/2011
Henny Penny	EEG-16#		Standard Vat	Gas	12	9	30	69	4960	6/19/2013	10/19/2016
Henny Penny	EEG-24#		Standard Vat	Gas	12	9	30	69	4960	4/1/2014	10/19/2016
Henny Penny	EEG-25#		Standard Vat	Gas	12	9	30	69	4960	4/1/2014	10/19/2016
Henny Penny	LVG-20#		Standard Vat	Gas	12	9	30	69	4960	6/7/2012	10/19/2016
Henny Penny	LVG-20# Split		Split Vat	Gas	13	9	30	52	6269	6/7/2012	10/19/2016
Henny Penny	OFG-32#		Standard Vat	Gas	13	14	62	52	7259	8/5/2011	10/19/2016
Henny Penny	OGA-32#		Standard Vat	Gas	13	14	62	52	7259	8/5/2011	10/19/2016
Pitco	MGII		Standard Vat	Gas	14	14	50	54	6955	8/1/2011	10/20/2016
Pitco	SFSOH55		Standard Vat	Gas	14	14	50	50	7936	1/1/2014	10/20/2016
Pitco	SFSSH55		Standard Vat	Gas	14	14	50	57	7940	8/1/2011	10/20/2016
Pitco	SFSSH60		Standard Vat	Gas	14	18	60	58	7856	8/1/2011	10/20/2016

Energy Star® Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Width (in.)	Depth (in.)	Shortening Capacity (lbs)	Cooking Energy Efficiency (%)	Energy Use (Idle Energy Rate) (Btu/hr)	Date Available on Market	Date Qualified
Pitco	SFSSH60W		Large Vat	Gas	18	14	60	56	9832	8/1/2011	10/20/2016
Pitco	SFSSH75		Large Vat	Gas	18	18	75	59	10259	8/1/2011	10/20/2016
Pitco	SFSSHLV14		Standard Vat	Gas	14	14	32	52	4626	5/23/2013	10/20/2016
Pitco	SGC		Standard Vat	Gas	14	14	35	50	7639	8/1/2011	10/20/2016
Pitco	SGH50		Standard Vat	Gas	14	14	50	54	6955	8/1/2011	10/20/2016
Pitco	SOH55		Standard Vat	Gas	14	14	50	50	7936	1/1/2014	10/20/2016
Pitco	SOHF55		Standard Vat	Gas	14	14	50	50	7936	1/1/2014	10/20/2016
Pitco	SSH55		Standard Vat	Gas	14	14	50	57	7940	8/1/2011	10/20/2016
Pitco	SSH60		Standard Vat	Gas	14	18	60	58	7856	8/1/2011	10/20/2016
Pitco	SSH60W		Large Vat	Gas	18	14	60	56	9832	8/1/2011	10/20/2016
Pitco	SSH75		Large Vat	Gas	18	18	75	59	10259	8/1/2011	10/20/2016
Pitco	SSHF55		Standard Vat	Gas	14	14	50	57	7940	8/1/2011	10/20/2016
Pitco	SSHF60		Standard Vat	Gas	14	18	60	58	7856	8/1/2011	10/20/2016
Pitco	SSHF60W		Large Vat	Gas	18	14	60	56	9832	8/1/2011	10/20/2016
Pitco	SSHF75		Large Vat	Gas	18	18	75	59	10259	8/1/2011	10/20/2016
Pitco	SSHLV14		Standard Vat	Gas	14	14	32	52	7936	5/23/2013	10/20/2016

Energy Star® Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Width (in.)	Depth (in.)	Shortening Capacity (lbs)	Cooking Energy Efficiency (%)	Energy Use (Idle Energy Rate) (Btu/hr)	Date Available on Market	Date Qualified
Pitco	SSHLVF14		Standard Vat	Gas	14	14	32	52	4626	5/23/2013	10/20/2016
Pitco	VF35		Standard Vat	Gas	14	14	35	50	7639	8/1/2011	10/20/2016
Pitco	VF65		Large Vat	Gas	18	18	70	53	9631	11/13/2015	10/20/2016
Royal Range	REEF-35		Standard Vat	Gas	14	14	35	54	8764	3/22/2017	3/22/2017
Royal Range	RHEF-45		Standard Vat	Gas	14	14	45	63	4569	3/22/2017	3/22/2017
Royal Range of California, Inc.	RHEF-75-DM-**	,RHEF-75-CM-**,	Large Vat	Gas	19	38	75	72	5045	1/1/2019	4/15/2020
Ultrafryer	BP20-20		Large Vat	Gas	20	20	125	62	7038	11/4/2016	11/9/2016
Ultrafryer	BP30-20		Large Vat	Gas	20	20	125	65	7045	11/4/2016	11/10/2016
Ultrafryer	IR-18		Standard Vat	Gas	18	18	50	59	5177	12/29/2017	1/2/2018
Ultrafryer	IR-20		Standard Vat	Gas	20	20	125	57	6626	12/29/2017	1/2/2018
Ultrafryer	IRC-14	,IRC-14-B,; ,IRS-14,	Standard Vat	Gas	15	15	45	56	4136	12/29/2017	1/2/2018
Ultrafryer	IRD-14	,IRM-14,	Standard Vat	Gas	15	16	50	59	4201	12/29/2017	1/2/2018
Ultrafryer	P20-18	,P20-18,Filtration available with all models	Large Vat	Gas	18	18	100	58	5545	5/9/1997	7/1/2014
Ultrafryer	P20-20	,P20-20,Filtration available with all models	Large Vat	Gas	20	20	125	60	8756	5/9/1997	7/2/2014
Ultrafryer	P30-14	,P30-14,Filtration available with all models	Standard Vat	Gas	14	14	50	61	3775	6/7/1999	7/1/2014
Ultrafryer	P30-18	,P30-18,Filtration available with all models	Large Vat	Gas	18	18	75	68	6867	6/7/1999	7/2/2014

Energy Star® Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Width (in.)	Depth (in.)	Shortening Capacity (lbs)	Cooking Energy Efficiency (%)	Energy Use (Idle Energy Rate) (Btu/hr)	Date Available on Market	Date Qualified
Ultrafryer	P30-RS	,P30-RS,Filtration available with all models	Large Vat	Gas	20	14	65	58	5737	1/31/2013	7/2/2014
Vulcan	1VEG35M-1	,1VEG35M-2,	Standard Vat	Gas	14	14	35	50	7296	4/17/2017	3/3/2017
Vulcan	TR45A	TR45C,TR45C,; TR45D,TR45D,; VFRY18,VFRY18,	Standard Vat	Gas	14	14	45	63	4610	2/20/2013	8/21/2019
Vulcan	TR65A		Large Vat	Gas	20	14	65	60	5083	2/20/2013	3/11/2013
Vulcan	TR65C		Large Vat	Gas	20	14	65	60	5083	2/20/2013	3/11/2013
Vulcan	TR65D		Large Vat	Gas	20	14	65	60	5083	2/20/2013	3/11/2013
Vulcan	TR85A		Large Vat	Gas	20	18	85	60	5575	2/20/2013	3/11/2013
Vulcan	TR85C		Large Vat	Gas	20	18	85	60	5575	2/20/2013	3/11/2013
Vulcan	TR85D		Large Vat	Gas	20	18	85	60	5575	2/20/2013	3/11/2013
Vulcan	VK45		Standard Vat	Gas	14	14	45	74	4320	8/1/2011	9/21/2011
Vulcan	VK65		Large Vat	Gas	20	14	65	68	4802	8/17/2011	9/26/2011
Vulcan	VK85		Large Vat	Gas	20	20	85	63	5464	8/17/2011	9/26/2011

[Back to Table of Contents](#)

Energy Star® Griddles

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Tested Configuration	Griddle Plate Type Description	Width (ft.)	Depth (ft.)	Cooking Energy Efficiency (%)	Production Capacity (lbs/hr)	Energy Use (Normalized Idle Energy) (Btu/h/sq. ft.)	Date Available on Market	Date Qualified
AccuTemp	GGF*****24		Single-Sided	Gas	Single-Sided	Flat, stainless steel	2	2.4	0.41	31	2534	1/1/2002	4/7/2011
AccuTemp	GGF*****36	Accu- Steam,GGF*****48,	Single-Sided	Gas	Single-Sided	Flat, stainless steel	3	2.4	0.47	51	2562	2/1/2002	4/7/2011
AccuTemp	PGF*****24		Single-Sided	Gas	Single-Sided	Flat, stainless steel	2	2.4	0.41	31	2534	3/1/2002	4/7/2011
AccuTemp	PGF*****36	Accu- Steam,PGF*****48,	Single-Sided	Gas	Single-Sided	Flat, stainless steel	3	2.4	0.47	51	2562	4/1/2002	4/7/2011
Electrolux	ARG36FR	,ARG48FR,	Single-Sided	Gas	Single-Sided	Multi-Surface	3	1.9	35.3	31	2525	9/22/2015	9/30/2015
Garland	MWG2W		Double-Sided	Gas	Double-Sided	Polished Steel	3	2	0.52	45	1180	6/15/2007	3/31/2011
Magikitch'n	MKH36 (Chrome Top)		Single-Sided	Gas	Single-Sided	Chrome Top/flat finish	3	2	45.11	45	1879	6/1/2011	5/27/2011
Magikitch'n	MKH36 (Plain Top)		Single-Sided	Gas	Single-Sided	Plain Top/flat finish	3	2	45.14	45	2153	6/1/2011	5/27/2011
Magikitch'n	MKH48 (Chrome Top)		Single-Sided	Gas	Single-Sided	Chrome Top/flat finish	3	2	45.1	45	1879	6/1/2011	5/27/2011
Magikitch'n	MKH48 (Plain Top)		Single-Sided	Gas	Single-Sided	Plain Top/flat finish	3	2	45.1	45	2153	6/1/2011	5/27/2011
Magikitch'n	MKH60 (Chrome Top)		Single-Sided	Gas	Single-Sided	Chrome Top/flat finish	3	2	45.1	45	1879	6/1/2011	5/27/2011
Magikitch'n	MKH60 (Plain Top)		Single-Sided	Gas	Single-Sided	Plain Top/flat finish	3	2	45.1	45	2153	6/1/2011	5/27/2011
Magikitch'n	MKH72 (Chrome Top)		Single-Sided	Gas	Single-Sided	Chrome Top/flat finish	3	2	45.1	45	1879	6/1/2011	5/27/2011
Magikitch'n	MKH72 (Plain Top)		Single-Sided	Gas	Single-Sided	Plain Top/flat finish	3	2	45.1	45	2153	6/1/2011	5/27/2011
Taylor Company	C813-23		Single-Sided	Gas	Single-Sided	Steel T-1	3	2	44	43	0	5/19/2011	3/31/2011
Taylor Company	C813-28		Single-Sided	Gas	Single-Sided	Steel T-1	3	2	44	43	0	5/19/2011	3/31/2011
Taylor Company	C823-12		Single-Sided	Gas	Single-Sided	Steel T-1	2	2	46	31	0	11/14/2012	5/12/2016
Taylor Company	C823-21		Single-Sided	Gas	Single-Sided	Steel T-1	2	2	46	31	0	4/29/2014	5/12/2016
Taylor Company	C835-23		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	35	33	0	1/19/2010	3/31/2011
Taylor Company	C835-28		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	35	33	0	1/19/2010	3/31/2011
Taylor Company	C845-23		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	51	72	0	5/19/2011	3/31/2011
Taylor Company	L811-22		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	69	99	0	5/1/2014	5/2/2014
Taylor Company	L811-23		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	69	99	0	1/28/2013	5/2/2014
Taylor Company	L811-28		Double-Sided	Gas	Double-Sided	Steel T-1	3	2	69	99	0	7/22/2013	5/2/2014
Taylor Company	L813-22		Single-Sided	Gas	Single-Sided	Steel T-1	3	2	53	45	0	5/1/2014	5/2/2014
Taylor Company	L813-23		Single-Sided	Gas	Single-Sided	Steel T-1	3	2	53	45	0	9/18/2012	5/2/2014
Taylor Company	L813-28		Single-Sided	Gas	Single-Sided	Steel T-1	3	2	53	45	0	5/1/2014	5/2/2014
Taylor Company	L819-22		Double-Sided	Gas	Double-Sided	Steel T-1	2	2	63	73	0	6/25/2014	5/12/2016
Taylor Company	L819-23		Double-Sided	Gas	Double-Sided	Steel T-1	2	2	63	73	0	3/29/2013	5/12/2016
Taylor Company	L819-28		Double-Sided	Gas	Double-Sided	Steel T-1	2	2	63	73	0	2/12/2013	5/12/2016
Taylor Company	L821-22		Single-Sided	Gas	Single-Sided	Steel T-1	2	2	46	31	0	11/12/2014	5/12/2016

Energy Star® Griddles

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Type	Fuel Type	Tested Configuration	Griddle Plate Type Description	Width (ft.)	Depth (ft.)	Cooking Energy Efficiency (%)	Production Capacity (lbs/hr)	Energy Use (Normalized Idle Energy) (Btu/h/sq. ft.)	Date Available on Market	Date Qualified
Taylor Company	L821-23		Single-Sided	Gas	Single-Sided	Steel T-1	2	2	46	31	0	11/19/2013	5/12/2016
Taylor Company	L821-28		Single-Sided	Gas	Single-Sided	Steel T-1	2	2	46	31	0	2/1/2013	5/12/2016
Vulcan-Hart	VCCG24-IC02	,VCCG24-IC01,	Single-Sided	Gas	Single-Sided	Steel	2	2	0.38	36	2446	5/1/2014	9/12/2016
Vulcan-Hart	VCCG36-AR01	,VCCG36-AR02;; ,VCCG48-AR01;; ,VCCG48-AR02;; ,VCCG60-AR01;; ,VCCG60-AR02;; ,VCCG72-AR01;; ,VCCG72-AR02,	Single-Sided	Gas	Single-Sided	Chrome	3	2	0.39	50	2141	5/1/2014	9/12/2016
Vulcan-Hart	VCCG36-AS01	,VCCG36-AS02;; ,VCCG48-AS01;; ,VCCG48-AS02;; ,VCCG48-SNC1;; ,VCCG48-SNC2;; ,VCCG60-AS01;; ,VCCG60-AS02;; ,VCCG60-SNC1;; ,VCCG60-SNC2;; ,VCCG72-AS01;; ,VCCG72-AS02;; ,VCCG72-SNC1;; ,VCCG72-SNC2,	Single-Sided	Gas	Single-Sided	Steel	3	2	36	53		1/1/2014	5/16/2014
Vulcan-Hart	VCCG36-IC02	,VCCG36-IC01;; ,VCCG48-IC01;; ,VCCG48-IC02;; ,VCCG60-IC01;; ,VCCG60-IC02,	Single-Sided	Gas	Single-Sided	Composite	3	2	36	42		1/1/2014	5/16/2014
Vulcan-Hart	VCCG36-IS02	,VCCG36-IS01 VCCG48-IS01 VCCG48-IS02 VCCG60-IS01 VCCG60-IS02 VCCG72-IS01 VCCG72-IS02 VCCG36-IR01 VCCG36-IR02 VCCG48-IR01 VCCG48-IR02 VCCG60-IR01 VCCG60-IR02 VCCG72-IR01 VCCG72-IR02,	Single-Sided	Gas	Single-Sided	Steel	3	2	0.4	43	2168	1/1/2014	5/16/2014
Wood Stone	WS-GPL-4836-CT00NG		Single-Sided	Gas	Single-Sided	Stainless Steel, Flat	4	3	0.43	51	2514	8/23/2017	10/13/2017
Wood Stone	WS-GPL-4836-CT01NG	,Yes,WS-GPL-4836-CT00NG	Single-Sided	Gas	Single-Sided	Stainless Steel, Flat	4	3	0.43	51	2514	8/23/2017	10/13/2017

[Back to Table of Contents](#)

Energy Star® Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Oven Type	Size	Fuel Type	Input Rate (Btu/hr)	Gas Oven Convection Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Convection Mode Cooking Energy Efficiency (%)	Method of Steam Generation	Steam Pan Capacity	Gas Oven Convection Mode Electric Idle Energy Rate (kW)	Gas Oven Steam Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Steam Mode Electric Idle Energy (kW)	Convection Mode Production Capacity (lbs/hr)	Convection Mode Average Water Consumption Rate (gallons/hr)	Gas Oven Steam Mode Cooking Energy Efficiency (%)	Steam Mode Production Capacity (lbs/hr)	Steam Mode Average Water Consumption Rate (gallons/hr)	Rack Oven Baking-Energy Efficiency (%)	Baking Production Capacity (lbs/hr)	Date Available on Market	Date Certified
Alto-Shaam	CTC7-20G		Combination	Full-size	Gas	98000	5517	60	Boiler-less	16	0.59	1654	0.64	173.2	1.27	52	161.1	0.93			1/1/2014	5/19/2015
Alto-Shaam	CTP20-20G		Combination	Full-size	Gas	266000	10430	63	Boiler-less	40	0.84	9723	1.4	402.2	0.4	50	324.6	9.1			2/3/2014	12/30/2016
Alto-Shaam	CTP7-20G		Combination	Full-size	Gas	102000	5950	59	Boiler-less	14	0.61	5456	0.29	141.7	10.6	47	249.8	12.2			2/3/2014	12/30/2016
American Range	MSD-1	,MSD-2,	Convection	Full-size	Gas	57658	10325	48	Boiler-less					87.6							4/15/2020	4/28/2020
Angelo Po	FX122G3	FX122G3C,FX122G3C,	Combination	Full-size	Gas	120000	7693	63	Boiler-less	24	0.55	8696	0.52	215.9	1.8	55	222.9	2.6			1/1/2019	1/17/2019
Angelo Po	FX122G3T		Combination	Full-size	Gas	120000	7693	63	Boiler-less	24	0.55	8696	0.52	215.9	1.8	55	222.9	2.6			11/20/2018	11/30/2018
Angelo Po	FX202G3		Combination	Full-size	Gas	190000	11087	63	Boiler-less	40	0.37	13236	0.9	369.3	2.5	59	500.9	5.8			11/20/2018	11/29/2018
Angelo Po	FX202G3R		Combination	Full-size	Gas	190000	11087	63	Boiler-less	40	0.37	13236	0.9	369.3	2.5	59	500.9	5.8			1/1/2019	1/17/2019
Angelo Po	FX82G3	FX82G3R,FX82G3CT,	Combination	Full-size	Gas	92500	6550	60	Boiler-less	16	0.44	7334	0.41	144.5	2	54	191.4	3.7			1/1/2019	1/17/2019
Angelo Po	FX82G3T		Combination	Full-size	Gas	92500	6550	60	Boiler-less	16	0.44	7334	0.41	144.5	2	54	191.4	3.7			11/20/2018	11/26/2018
Atosa/CookRite	ATCO-S13A	,ATCO-S13A-D,; ,ATCO-S13B,; ,BCO-G1,; ,BCO-G2,; ,CO11-G1,;	Convection	Full-size	Gas	43680	11145	54	Boiler-less					81.5							10/31/2018	2/20/2020
Bakers Pride	GDCO-G1		Convection	Full-size	Gas	60000	8863	54						97.13							1/1/2016	11/25/2015
Baxter Mfg	OV500G1-EE		Rack	Full-size	Gas	175000	21364												48	142	1/1/2014	1/21/2016
Baxter Mfg	OV500G2-EE		Rack	Full-size	Gas	275000	26016												55	277	1/1/2014	1/21/2016
Belshaw Adamatic	OVEN-2020		Rack	Full-size	Gas	275000	18357		Boiler-less					1.06					66	290.2	10/4/2017	10/12/2017
BKI	COB-GS	,COB-GD,; ,COM-GS,; ,COM-GD,	Convection	Full-size	Gas	60000	8863	54						97.13							1/1/2016	11/25/2015
Blodgett	DFG-100-ES	,BDO-100-G-ES,; ,DFG-100-K12-ES,; ,Zephaire-100-G-ES,	Convection	Full-size	Gas	45000	7620	54						97.71							11/25/2013	1/16/2014
Blodgett	HV-100G	,HVV-100G,	Convection	Full-size	Gas	60000	6600	48						101.76							1/1/2013	8/6/2014
Blodgett	Zephaire-200-G-ES	,DFG-200-ES,; ,DFG-200-K12-ES,	Convection	Full-size	Gas	50000	9265	54						104.59							11/25/2013	1/2/2014
Convotherm	C4eD 10.20 GS		Combination	Full-size	Gas	109200	7127	63	Boiler-less	22	0.43	7066	0.39	227.3	0	58	298.8	1.7			1/1/2014	9/22/2016
Convotherm	C4eD 20.20 GB		Combination	Full-size	Gas	218400	10270	61	Boiler	40	0.92	11927	0.81	391.2	3.3	49	352.5	9.6			1/1/2014	4/30/2015
Convotherm	C4eD 6.20 GS		Combination	Full-size	Gas	68200	5101	62	Boiler-less	14	0.42	5003	0.39	140.9	0	58	204.1	2.5			1/1/2014	11/24/2015
Convotherm	C4eD 6.20 GB		Combination	Full-size	Gas	68200	5438	62	Boiler	14	0.41	7439	0.38	131.8	0	51	167.4	4.3			1/1/2014	4/30/2015
Convotherm	C4eT 10.20 GS		Combination	Full-size	Gas	109200	7127	63	Boiler-less	22	0.43	7066	0.39	227.3	0	58	298.8	1.7			1/1/2014	9/22/2016
Convotherm	C4eT 20.20 GB		Combination	Full-size	Gas	218400	10270	61	Boiler	40	0.92	11927	0.81	391.2	3.3	49	352.5	9.6			1/1/2014	4/30/2015
Convotherm	C4eT 6.20 GB		Combination	Full-size	Gas	68200	5438	62	Boiler	14	0.41	7439	0.38	131.8	0	51	167.4	4.3			1/1/2014	4/30/2015
Convotherm	C4eT 6.20 GS		Combination	Full-size	Gas	68200	5101	62	Boiler-less	14	0.42	5003	0.39	140.9	0	58	204.1	2.5			1/1/2014	11/24/2015
Electrolux	COG11T30	,COG11D30,; ,COG11D3K,;	Combination	Half-size	Gas	124538	4223	63	Boiler	10	0.16	6232	0.09	98.27	0	45	200.12	3.9			1/8/2020	3/20/2020
Electrolux	COG12T30	,COG12D30,; ,COG12D3K,;	Combination	Full-size	Gas	189025	6154	58	Boiler	10	0.18	9888	0.11	190.87	0	47	319.24	5.5			7/18/2019	11/13/2019
Electrolux	COG61T30	,COG61D30,; ,COG61D3K,;	Combination	Half-size	Gas	76429	3158	58	Boiler	6	0.13	5038	0.1	62.95	0	43	126.07	2.3	0	0	5/11/2018	7/23/2019
Electrolux	COG62T30	,COG62D30,; ,COG62D3K,;	Combination	Full-size	Gas	128632	4480	60	Boiler	6	0.17	7828	0.12	120.12	0	43	213.92	3.8			8/27/2019	11/13/2019
Garland	MCO-GS-10ESS		Convection	Full-size	Gas	60000	11425	54	Boiler-less					113.8	0						9/3/2013	2/14/2014
Garland	SCO-GS-10ESS		Convection	Full-size	Gas	53000	11841	54						113.8	0						1/1/2014	8/26/2014
Gusto Equipment	GUSCO1-SNG-NAT		Convection	Full-size	Gas	40000	10474	55						94.9							10/1/2019	12/23/2019
Hobart	HGC5		Convection	Full-size	Gas	50000	9747	53						99.5							4/4/2013	5/7/2019
Hobart	HGC5D		Convection	Full-size	Gas	50000	9747	53						99.5							4/4/2013	5/7/2019
Hobart	HGC5DX		Convection	Full-size	Gas	50000	9747	53						99.5							4/4/2013	5/7/2019
Hobart	HGC5X		Convection	Full-size	Gas	50000	9747	53						99.5							4/4/2013	5/7/2019
Lainox	NAGB071	,NAGB071R,; ,NAGB071RUS,; ,NAGB071US,; ,SAGB071R,; ,SAGB071RUS,	Combination	Full-size	Gas	50111	4650	56	Boiler	7	0.19	7531	0.17	63.3	2.6	42	106.9	4.7			10/26/2015	4/12/2017

Energy Star® Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Oven Type	Size	Fuel Type	Input Rate (Btu/hr)	Gas Oven Convection Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Convection Mode Cooking Energy Efficiency (%)	Method of Steam Generation	Steam Pan Capacity	Gas Oven Convection Mode Electric Idle Energy Rate (kW)	Gas Oven Steam Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Steam Mode Electric Idle Energy (kW)	Convection Mode Production Capacity (lbs/hr)	Convection Mode Average Water Consumption Rate (gallons/hr)	Gas Oven Steam Mode Cooking Energy Efficiency (%)	Steam Mode Production Capacity (lbs/hr)	Steam Mode Average Water Consumption Rate (gallons/hr)	Rack Oven Baking-Energy Efficiency (%)	Baking Production Capacity (lbs/hr)	Date Available on Market	Date Certified
Lainox	NAGB072	,NAGB072R;; ,NAGB072RUS;; ,NAGB072US;; ,SAGB072R;; ,SAGB072RUS;	Combination	Full-size	Gas	102500	5932	56	Boiler	14	0.31	7224	0.29	135.1	3.8	46	210.8	6.2			9/27/2018	10/12/2018
Lainox	NAGB101	,NAGB101R;; ,NAGB101RUS;; ,NAGB101US;; ,SAGB101R;; ,SAGB101RUS;	Combination	Full-size	Gas	100236	5387	59	Boiler	10	0.54	6748	0.37	95.3	0	44	157.5	8.3			9/27/2018	10/11/2018
Lainox	NAGB102	,NAGB102R;; ,NAGB102RUS;; ,NAGB102US;; ,SAGB102R;; ,SAGB102RUS;	Combination	Full-size	Gas	141184	6585	62	Boiler	20	0.37	6485	0.35	193.1	9.4	48	264.7	8.4			9/27/2018	10/11/2018
Lainox	NAGB201	,NAGB201R;; ,NAGB201RUS;; ,NAGB201US;; ,SAGB201R;; ,SAGB201RUS;	Combination	Full-size	Gas	168529	7784	60	Boiler	20	0.76	6119	0.76	220.4	12.9	45	297	12.3			9/27/2018	10/11/2018
Lainox	NAGB202	,NAGB202R;; ,NAGB202RUS;; ,NAGB202US;; ,SAGB202R;; ,SAGB202RUS;	Combination	Full-size	Gas	274665	10921	61	Boiler	40	0.83	8683	0.99	402.5	13.4	55	526	12.3			10/23/2018	10/31/2018
Lainox	NAGV071	,NAGV071R;; ,NAGV071RUS;; ,NAGV071US;; ,SAGV071R;; ,SAGV071RUS;	Combination	Full-size	Gas	50111	4650	56	Boiler-less	7	0.19	4861	0.39	63.23	2.63	50	93.2	1			6/27/2019	9/17/2019
Lainox	NAGV072	,NAGV072R;; ,NAGV072RUS;; ,NAGV072US;; ,SAGV072R;; ,SAGV072RUS;	Combination	Full-size	Gas	67464	5932	56	Boiler-less	14	0.31	7556	0.28	135.1	3.8	46	155.8	3.5			9/27/2018	10/11/2018
Lainox	NAGV101	,NAGV101R;; ,NAGV101RUS;; ,NAGV101US;; ,SAGV101R;; ,SAGV101RUS;	Combination	Full-size	Gas	62057	5387	59	Boiler-less	10	0.54	6421	0.5	95.3	0	46	106.9	6			9/27/2018	10/11/2018
Lainox	NAGV102	,NAGV102R;; ,NAGV102RUS;; ,NAGV102US;; ,SAGV102R;; ,SAGV102RUS;	Combination	Full-size	Gas	91808	6585	62	Boiler-less	20	0.37	7761	0.34	193.1	9.4	55	180	4.7			9/27/2018	10/11/2018
Lainox	NAGV201	,NAGV201R;; ,NAGV201RUS;; ,NAGV201US;; ,SAGV201R;; ,SAGV201RUS;	Combination	Full-size	Gas	126770	7784	60	Boiler-less	20	0.76	7833	0.7	220.4	12.9	54	285.3	8.3			9/27/2018	10/11/2018
Lainox	NAGV202	,NAGV202R;; ,NAGV202RUS;; ,NAGV202US;; ,SAGV202R;; ,SAGV202RUS;	Combination	Full-size	Gas	184255	10921	61	Boiler-less	40	0.83	11729	0.87	402.5	13.4	57	421	3.1			10/23/2018	10/31/2018
Lang	GCSF-ES	GCSF-EZ,	Convection	Full-size	Gas	62460	9293	46			0.4			100.1							8/4/2014	8/5/2014
LBC	LRO-2G5		Rack	Full-size	Gas	291400	19300		Boiler-less	30	1.26								62	272.8	2/24/2016	2/23/2016
LBC Bakery Equipment	LRO-1G6		Rack	Full-size	Gas	175000	14413		Boiler-less		0.74								61	152.76	3/1/2020	2/28/2020
LBC Bakery Equipment	LRO-2G6		Rack	Full-size	Gas	290000	17369		Boiler-less		1.33								71	304.7	3/1/2020	4/24/2020
Moffat, Blue Seal, Grupo Alpha	G32D5		Convection	Full-size	Gas	34050	10517	52			0			60.3							9/1/2009	2/12/2014
Montague	HX63A	,HX2-63A;; ,HX2-63AH;; ,HX2-63AR;	Convection	Full-size	Gas	62184	9864	49			0.64			96.9							1/1/2015	4/27/2017
Padela, Padela Equipment INC	PCFCO-1		Convection	Full-size	Gas	43680	11145	54	Boiler-less		0.48			81.5							10/31/2018	2/20/2020
Rational AG	CMP 61 G		Combination	Half-size	Gas		3290	64	Boiler	6	0.28	4570	0.31	55.82	0	47	113.54	0.4			1/29/2015	1/29/2015
Rational AG	CMP 62 G		Combination	Full-size	Gas		3990	67	Boiler	6	0.39	5302	0.11	119.45	0	53	217	0.55			1/29/2015	1/29/2015
Rational AG	LM100BG		Combination	Half-size	Gas	49500	2732	60	Boiler	6	1.03	3614	0.84	56.72	0	46	115.63	5.43			5/5/2020	4/30/2020
Rational AG	LM100CG		Combination	Full-size	Gas	186500	4144	63	Boiler	12	0.12	7108	0.09	130.7	1.9	48	210.1	18.5			5/5/2020	4/30/2020
Rational AG	LM100DG		Combination	Half-size	Gas	83500	3833	62	Boiler	10	0.12	7741	0.13	112	10.2	50	194.6	13.7			5/5/2020	4/30/2020
Rational AG	LM100EG		Combination	Full-size	Gas	152000	5140	59	Boiler	20	0.23	6653	0.14	214.8	16.8	54	393.7	12.7			5/5/2020	4/30/2020
Rational AG	LM100FG		Combination	Half-size	Gas	159500	6015	65	Boiler	20	0.94	6538	0.23	190.4	0	46	381.44	15.04			5/5/2020	4/30/2020
Rational AG	LM100GG		Combination	Full-size	Gas	303500	7401	62	Boiler	40	0.48	12015	0.27	383.41	0	55	690.71	8.26			5/5/2020	4/30/2020
Rational AG	SCC WE 101G		Combination	Half-size	Gas	83500	4431	65	Boiler	10	0.34	7690	0.25	95	0	49	185.96	0.23			9/11/2011	12/11/2013

Energy Star® Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Additional Model Information	Oven Type	Size	Fuel Type	Input Rate (Btu/hr)	Gas Oven Convection Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Convection Mode Cooking Energy Efficiency (%)	Method of Steam Generation	Steam Pan Capacity	Gas Oven Convection Mode Electric Idle Energy Rate (kW)	Gas Oven Steam Mode Total Idle Energy Rate (Btu/hr)	Gas Oven Steam Mode Electric Idle Energy (kW)	Convection Mode Production Capacity (lbs/hr)	Convection Mode Average Water Consumption Rate (gallons/hr)	Gas Oven Steam Mode Cooking Energy Efficiency (%)	Steam Mode Production Capacity (lbs/hr)	Steam Mode Average Water Consumption Rate (gallons/hr)	Rack Oven Baking-Energy Efficiency (%)	Baking Production Capacity (lbs/hr)	Date Available on Market	Date Certified	
Rational AG	SCC WE 102G		Combination	Full-size	Gas	170000	5172	63	Boiler	20	0.57	8008	0.36	188.36	0	50	303.2	0.35			9/11/2011	12/11/2013	
Rational AG	SCC WE 201G		Combination	Half-size	Gas	167000	7834	61	Boiler	20	0.64	9002	0.38	186.75	0	52	353.69	0.48			9/11/2011	12/11/2013	
Rational AG	SCC WE 202G		Combination	Full-size	Gas	340000	8251	57	Boiler	40	1.19	10084	0.62	374.7	0	57	661.72	0.56			9/11/2011	12/11/2013	
Rational AG	SCC WE 61G		Combination	Half-size	Gas	49000	3392	61	Boiler	6	0.13	4174	0.25	55.82	0	43	113.54	0.17			9/11/2011	12/11/2013	
Rational AG	SCC WE 62G		Combination	Full-size	Gas	106000	3317	62	Boiler	12	0.65	5070	0.34	119.45	0	48	217	0.18			9/11/2011	12/11/2013	
Revent	724		Rack	Full-size	Gas	335600	19942	59			0.45			294.7								10/6/2016	10/7/2016
Revent	726 G CG U		Rack	Full-size	Gas	170000	21980		Boiler		0.74								49	131.1	7/7/2016	7/8/2016	
Revent	ONE26		Rack	Full-size	Gas	173400	16650	53			0.99			136.4								10/6/2016	10/7/2016
Revent	ONE39		Convection	Full-size	Gas	88813	3516	69			0.63			127								10/6/2016	10/17/2016
Royal Range of California, Inc.	RCOS-1	,RCOS-2,	Convection	Full-size	Gas	73113	8866	54	Boiler-less		0.43			95.3								1/1/2004	3/31/2020
Southbend	BGS/13SC	,BGS/23SC , ,BGS/13CCH , ,GS/25SC	Convection	Full-size	Gas	40000	6798	51			0.41			78.2								8/19/2015	8/25/2015
Southbend	GS/15SC	,GS/15CCH , ,KLG5/275C , ,KLG5/175C	Convection	Full-size	Gas	90000	8983	49			0.44			94								5/5/2014	5/12/2014
Southbend	KLG5/175C	,KLG5/275C , ,KLG5/17CCH , ,SLGS/225C , ,SLGS/12CCH	Convection	Full-size	Gas	53000	8930	51			0.42			86.9								8/19/2015	8/25/2015
Southbend	SLGS/12SC (W/ NRG)	,SLGS/225C , ,SLGS/12CCH	Convection	Full-size	Gas	72000	9432	48			0.44			96.2								5/5/2014	5/12/2014
Tri-Star	TSCO-G1	,TSCO-G2,	Convection	Full-size	Gas	60000	8863	54			0.38			97.13								1/1/2016	11/25/2015
UNOX S.p.A.	XAVC-06FS-GPa-xx	,XAVC-06FS-GPL , ,XAVC-1011-	Combination	Full-size	Gas	81891	2330	57	Boiler-less	12	0.77	3869	0.73	52.38	0	48	76.76	4.3				5/13/2016	6/1/2016
UNOX S.p.A.	XAVC-1011-GP**	,GPL ,XAVC-1011- ,GPL** - can be	Combination	Half-size	Gas	81891	2825	59	Boiler-less	10	0.8	3190	0.75	94.8		57	145	2.07				4/28/2017	4/28/2017
UNOX S.p.A.	XAVC-10FS-GPa-xx		Combination	Full-size	Gas	119424	4051	63	Boiler-less	20	1.09	4765	1.08	188.6	0	49	260	12.7				9/25/2015	3/31/2016
UNOX S.p.A.	XAVC-16FS-GPx	,XAVC-16FS-GPL	Combination	Full-size	Gas	238850	9379	59	Boiler-less	32	1.74	8361	1.65	291.72	0	49	400.2	8.93				8/26/2016	8/31/2016
UNOX S.p.A.	XAVL-2021-GP*S**		Combination	Half-size	Gas	238850	6439		Boiler-less	20	1.69	9023	1.61	324.1			584.7	34.5				5/15/2020	6/29/2020
UNOX S.p.A.	XAVL-2021-NP*S**		Combination	Half-size	Gas	238850	5803		Boiler-less	20	1.84	8546	1.7	332.7			603	33.7				5/15/2020	6/29/2020
UNOX S.p.A.	XEVC-0711-GP**		Combination	Half-size	Gas	64828	4660		Boiler-less	7	0.51	5596	0.53	73.87			120.35	2.95				6/22/2018	5/15/2020
UNOX S.p.A.	XEVC-1011-GP**M**		Combination	Half-size	Gas	75067	4968		Boiler-less	10	0.57	6002	0.49	89.4			145.5	4.2				5/15/2020	6/29/2020
UNOX S.p.A.	XEVL-2011-GP**		Combination	Half-size	Gas	163783	6110		Boiler-less	20	1.3	6837	1.78	207.5			395.2	16.5				10/31/2019	5/15/2020
UNOX S.p.A.	XEVL-2021-GP**		Combination	Half-size	Gas	307093	9754		Boiler-less	20	1.17	9656	1.08	351.3			642.4	20.9				11/20/2019	5/15/2020
US Range	SUMG-GS-10ESS		Convection	Full-size	Gas	53000	11841	54			0.64			113.8	0							1/1/2014	8/26/2014
Vulcan	SG6		Convection	Full-size	Gas	59897	9527	48			0.59			92.1								4/4/2013	11/5/2014
Vulcan	VC4GD	,VC4GC , ,VC6GC , , ,VC6GD	Convection	Full-size	Gas	50000	9747	53			0.45			99.5								4/4/2013	5/7/2019
Vulcan	VC55G		Convection	Full-size	Gas	50000	10280	56		1	0.16			144.1								4/1/2016	6/10/2016
Vulcan	VC5G		Convection	Full-size	Gas	50000	10280	56		1	0.16			144.1								4/1/2016	6/10/2016
Vulcan / Wolf	SG4		Convection	Full-size	Gas	59897	9527	48			0			92.1								3/15/2013	12/31/2013
Vulcan / Wolf	SG44		Convection	Full-size	Gas	59897	9527	48			0			92.1								3/15/2013	12/31/2013
Vulcan / Wolf	VC4GD		Convection	Full-size	Gas	42990	10200	52			1.52			136								1/1/2007	12/30/2013
Vulcan / Wolf	VC6GD		Convection	Full-size	Gas	42990	10200	52			1.52			136								1/1/2007	12/30/2013
Wolf	WKG1		Convection	Full-size	Gas	50000	9747	53			0.45			99.5								4/4/2013	5/7/2019
Wolf	WKG2		Convection	Full-size	Gas	50000	9747	53			0.45			99.5								4/4/2013	5/7/2019
Wolf	WKG1		Convection	Full-size	Gas	50000	9747	53			0.45			99.5								4/4/2013	5/7/2019
Wolf	WKG2		Convection	Full-size	Gas	50000	9747	53			0.45			99.5								4/4/2013	5/7/2019

Energy Star® Steamers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Brand Name	Model Number	Method of Steam Generation	Pan Capacity	Primary Fuel Source	Cooking Energy Efficiency (%)	Water Consumption (gallons/hr)	Idle Energy Rate Gas (Btu/hr)	Date Available on Market	Date Qualified
AccuTemp	N61201D060	Boilerless	6	Gas	43	1.5	2770	5/1/2010	4/7/2011
AccuTemp	N61201E060	Boilerless	6	Gas	43	1.5	2770	5/1/2010	4/7/2011
AccuTemp	P61201D060	Boilerless	6	Gas	43	1.5	2770	5/1/2010	4/7/2011
AccuTemp	P61201E060	Boilerless	6	Gas	43	1.5	2770	5/1/2010	4/7/2011
Cleveland Range LLC	24CGA10.2ES	Steam Generation	10	Gas	45	16.24	3711	5/9/2009	2/8/2011
Cleveland Range LLC	24CGA6.2SES	Steam Generation	6	Gas	39	13.08	3709	5/9/2009	2/8/2011
Cleveland Range LLC	22CGT3.1	Boilerless	3	Gas	39	0.31	2440	2/1/2008	6/24/2015
Cleveland Range LLC	22CGT6.1	Boilerless	6	Gas	43	0.97	3640	2/1/2008	6/24/2015
Groen	XSG-5	Boilerless	5	Gas	49	3	7027	1/1/2015	6/25/2015
Market Forge	ETP-10G	Steam Generation	10	Gas	40	8	5766	6/1/2007	4/7/2011
Market Forge	Sirius II-10	Boilerless	10	Gas	48	2	11442	1/1/2006	3/14/2016
Market Forge	Sirius II-12	Boilerless	12	Gas	47	2	11184	1/1/2006	3/14/2016
Market Forge	Sirius II-4	Boilerless	4	Gas	49	1	5850	1/1/2006	3/14/2016
Market Forge	Sirius II-6	Boilerless	6	Gas	47	1	5592	1/1/2006	3/14/2016
Market Forge	Sirius II-8	Boilerless	8	Gas	49	2	11700	1/1/2006	3/14/2016

[Back to Table of Contents](#)