

Table of Contents



Oklahoma CEW Qualifying Foodservice Equipment

Equipment must meet program specification requirements. For programs listed with CEW (California Energy Wise) ratings refer to this chart.

[Fryers](#)

[Griddles](#)

[Ovens Combination](#)

[Ovens Convection](#)

[Ovens Conveyor](#)

[Ovens Rack](#)

[Steam Cookers](#)

updated 8-28-20

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Alto-Shaam	ASF-60G	1	13	62	Gas	13,442	4,072	66%	82
Alto-Shaam	ASF-75G	1	22	73	Gas	16,936	4,825	71%	134
American Range	AF35HE	1	14	35	Gas	9,329	7,899	52%	63
American Range	AF50HE	1	14	50	Gas	11,903	7,966	50%	58
Anets	AH55	1	14	50	Gas	13,456	4,632	51%	67
BKI	BLG-FC	1	18	70	Gas	12,529	5,100	61%	56
Frymaster	2FQG30U***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	3FQG30U***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	4FQG30U***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA230***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA330***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA430***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA530***	5	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BK55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP255**	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP355**	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP455**	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	ESG35T	1	14	35	Gas	9,582	8,233	50%	58
Frymaster	F*GL230	2	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL30	1	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL330	3	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL430	4	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL530	5	13	31	Gas	9,265	3,832	60%	66
Frymaster	FPH155	1	14	50	Gas	13,951	5,604	55%	69

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Frymaster	FPH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	FPPH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	H55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	HD50G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	HD60G	1	18	80	Gas	16,362	10,242	52%	107
Frymaster	KH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	MJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	MPH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	PMJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	YSCFH14G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	YSCFH214G	2	14	50	Gas	11,117	8,386	52%	72
Giles Enterprises, Inc.	GGF-400	1	13	45	Gas	7,998	3,835	54%	39
Giles Enterprises, Inc.	GGF-720	1	18.5	75	Gas	11,519	5,645	61%	80
Henny Penny	EEG-241	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-242	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-243	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-244	4	12	30	Gas	8,935	5,790	54%	64

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Henny Penny	EEG-251	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-252	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-253	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-254	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-201	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-202	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-203	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-204	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	OFG-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-323	3	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-323	3	13	62	Gas	13,755	7,040	50%	72
Keating	14 IFM	1	14	38	Gas	7,999	3,971	54%	58
Keating	18 IFM	1	18	68	Gas	19,908	7,139	51%	79
Lincat	OG7115	1	13	35	Gas	9,902	3,326	63%	55
Paloma	PF-2S	1	14	50	Gas	11,848	3,420	62%	72
PBI	2600530	1	18	80	Gas	16,362	10,242	52%	107
PBI	2600580	2	18	80	Gas	16,362	10,242	52%	107
Pearl City	P-30	1	30	75	Gas	17,596	8,352	71%	156
Pitco	BKSGH50SPC	1	14	50	Gas	10,275	8,510	54%	67
Pitco	MGII	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGC	1	14	35	Gas	9,636	4,899	50%	55
Pitco	SGH50	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-2**	2	14	50	Gas	10,275	8,510	54%	67

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SGH50-3**	3	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-4**	4	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-5**	5	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-6**	6	14	50	Gas	10,275	8,510	54%	67
Pitco	SSH55-**	1	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-2**	2	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-3**	3	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-4**	4	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-5**	5	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-6**	6	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH60-**	1	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-2**	2	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-3**	3	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-4**	4	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-5**	5	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-6**	6	14	60	Gas	-	8,705	58%	76
Pitco	SSH60R-**	1	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-2**	2	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-3**	3	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-4**	4	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-5**	5	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-6**	6	14	60	Gas	-	8,446	52%	74
Pitco	SSH60W-**	1	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-2**	2	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-3**	3	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-4**	4	18	60	Gas	15,781	10,644	55%	76

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SSH60W-5**	5	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-6**	6	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH75-**	1	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-2**	2	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-3**	3	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-4**	4	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-5**	5	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-6**	6	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75R-**	1	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-2**	2	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-3**	3	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-4**	4	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-5**	5	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-6**	6	18	75	Gas	16,935	11,819	56%	107
Pitco	SSHLV14	1	13	32	Gas	8,141	7,409	53%	66
Pitco	VF35S	1	14	35	Gas	9,456	7,349	50%	59
Pitco	VF65S	1	18	65	Gas	15,636	9,953	54%	80
Royal Range	REEF-35	1	14	35	Gas	10,592	8,764	54%	60
Royal Range	RHEF-45**	1	14	45	Gas	7,095	4,569	63%	71
Royal Range	RHEF-75**	1	18	75	Gas	12,941	5,017	72%	129
Ultrafryer Systems	B-IR-18-2-***	2	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-3-***	3	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-4-***	4	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-5-***	5	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-20-2-***	2	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-3-***	3	20	125	Gas	19,092	6,626	57%	84

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	B-IR-20-4-***	4	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-5-***	5	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-6-***	6	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IRC-14-2-***	2	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-3-***	3	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-4-***	4	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-5-***	5	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRD-14-2-***	2	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-3-***	3	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-4-***	4	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-5-***	5	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-P20-18-2-***	2	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-3-***	3	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-4-***	4	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-5-***	5	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-6-***	6	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-20-2-***	2	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-3-***	3	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-4-***	4	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-5-***	5	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-6-***	6	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P30-14-2-***	2	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-3-***	3	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-4-***	4	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-5-***	5	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-6-***	6	14	50	Gas	7,450	4,180	65%	73

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	B-P30-18-2-***	2	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-3-***	3	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-4-***	4	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-5-***	5	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-6-***	6	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	C-P30-14	1	14	30	Gas	9,816	4,120	60%	60
Ultrafryer Systems	F-IR-18-**	1	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	F-IR-20-***	1	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	F-IRC-14-***	1	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	F-IRD-14-**	1	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	F-P20-18	1	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	F-P25-18	1	18	100	Gas	15,372	5,710	59%	89
Ultrafryer Systems	F-P30-14	1	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	F-P30-18	1	18	100	Gas	20,859	5,993	61%	120
Vulcan	1TR45**	1	14	45	Gas	7,548	4,318	61%	69
Vulcan	1TR65**	1	20	65	Gas	12,278	5,083	60%	82
Vulcan	1TR85**	1	20	85	Gas	15,072	5,575	60%	87
Vulcan	1VEG35M	1	14	35	Gas	9,785	7,296	50%	57
Vulcan	1VK45**	1	14	45	Gas	8,192	4,636	65%	78
Vulcan	1VK65**	1	20	65	Gas	11,914	4,838	66%	91
Vulcan	1VK85**	1	20	85	Gas	15,039	6,075	66%	100
Vulcan	2TR45**	2	14	45	Gas	7,548	4,318	61%	69
Vulcan	2TR65**	2	20	65	Gas	12,278	5,083	60%	82
Vulcan	2TR85**	2	20	85	Gas	15,072	5,575	60%	87
Vulcan	2VK45**	2	14	45	Gas	8,192	4,636	65%	78
Vulcan	2VK65**	2	20	65	Gas	11,914	4,838	66%	91

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Vulcan	2VK85**	2	20	85	Gas	15,039	6,075	66%	100
Vulcan	3TR45**	3	14	45	Gas	7,548	4,318	61%	69
Vulcan	3TR65**	3	20	65	Gas	12,278	5,083	60%	82
Vulcan	3TR85**	3	20	85	Gas	15,072	5,575	60%	87
Vulcan	3VK45**	3	14	45	Gas	8,192	4,636	65%	78
Vulcan	3VK65**	3	20	65	Gas	11,914	4,838	66%	91
Vulcan	3VK85**	3	20	85	Gas	15,039	6,075	66%	100
Vulcan	4TR45**	4	14	45	Gas	7,548	4,318	61%	69
Vulcan	4TR65**	4	20	65	Gas	12,278	5,083	60%	82
Vulcan	4TR85**	4	20	85	Gas	15,072	5,575	60%	87
Vulcan	4VK45**	4	14	45	Gas	8,192	4,636	65%	78
Vulcan	4VK65**	4	20	65	Gas	11,914	4,838	66%	91
Vulcan	4VK85**	4	20	85	Gas	15,039	6,075	66%	100

[Back to Table of Contents](#)

CEW Qualified Griddles

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Single or Double Sided	Fuel Type	Nominal Width (ft)	Surface Area (ft ²)	Preheat Energy		Idle Energy		Energy Efficiency (%)	Production Capacity (lbs/h)
						Gas (Btu)	Electric (Wh)	Gas (Btu)	Electric (Wh)		
AccuTemp	GGF1201A3650	Single	Gas	3	7.50	3,207	-	1,580	-	54%	7.8
AccuTemp	GGF1201A4850	Single	Gas	4	10.00	3,207	-	1,580	-	54%	7.8
AccuTemp	GGF1201B2450	Single	Gas	2	4.00	3,201	-	1,772	-	54%	8.1
AccuTemp	GGF1201B24E205 0	Single	Gas	2	4.00	3,201	-	1,772	-	54%	8.1
AccuTemp	GGF1201B3650	Single	Gas	3	6.00	3,207	-	1,580	-	54%	7.8
AccuTemp	GGF1201B36E204 9	Single	Gas	3	6.00	3,207	-	1,580	-	54%	7.8
AccuTemp	GGF1201B4850	Single	Gas	4	8.00	3,207	-	1,580	-	54%	7.8
AccuTemp	GGF1201B48E204 8	Single	Gas	4	8.00	3,207	-	1,580	-	54%	7.8
Electrolux	ARG36FL	Single	Gas	3	5.62	2,967	-	2,462	-	40%	7.5
Electrolux	ARG36FR	Single	Gas	3	5.62	2,967	-	2,462	-	40%	7.5
Garland	MW26W	Double	Gas	3	6.00	1,533	293	566	180	52%	7.6
Garland	MWG-2W	Double	Gas	3	6.00	1,533	293	566	180	52%	7.6
Garland	XG24	Double	Gas	2	4.00	2,485	310	1,077	135	51%	14.6
Garland	XG36	Double	Gas	3	6.00	2,640	330	1,276	145	50%	11.9
Imperial	IHEG-36*	Single	Gas	3	6.00	2,944	-	2,479	-	47%	9.3
Imperial	IHEG-48*	Single	Gas	4	8.00	2,944	-	2,479	-	47%	9.3
Imperial	IHEG-60*	Single	Gas	5	10.00	2,944	-	2,479	-	47%	9.3
Imperial	IHEG-72*	Single	Gas	6	12.00	2,944	-	2,479	-	47%	9.3
Jade	JGT-2418	Single	Gas	2	3.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2424	Single	Gas	2	4.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2436	Single	Gas	3	6.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2442	Single	Gas	4	7.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2448	Single	Gas	4	8.00	2,803	-	2,588	-	40%	6.6

CEW Qualified Griddles

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Single or Double Sided	Fuel Type	Nominal Width (ft)	Surface Area (ft ²)	Preheat Energy		Idle Energy		Energy Efficiency (%)	Production Capacity (lbs/h)
						Gas (Btu)	Electric (Wh)	Gas (Btu)	Electric (Wh)		
Jade	JGT-2454	Single	Gas	5	9.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2460	Single	Gas	5	10.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2472	Single	Gas	6	12.00	2,803	-	2,588	-	40%	6.6
Jade	JGT-2484	Single	Gas	7	14.00	2,803	-	2,588	-	40%	6.6
Taylor Company	C811-**	Double	Gas	3	6.00	2,817	275	1,418	154	51%	11.9
Taylor Company	C813-**	Double	Gas	3	6.00	2,817	275	1,418	154	51%	11.9
Taylor Company	C835-**	Double	Gas	3	6.00	3,036	267	1,293	163	48%	8.6
Taylor Company	C845-**	Double	Gas	3	6.00	2,817	275	1,418	154	51%	11.9
Taylor Company	L811-**	Double	Gas	3	6.00	2,587	260	1,368	170	69%	16.5
Taylor Company	L813-**	Double	Gas	3	6.00	2,587	260	1,368	170	69%	16.5
Taylor Company	L819-**	Double	Gas	2	4.00	2,515	263	1,519	184	63%	18.4
Vulcan	VCCG24-IC02	Single	Gas	2	4.00	2,032	-	2,291	-	38%	7.8
Vulcan	VCCG24-IS02	Single	Gas	2	4.00	2,977	-	2,169	-	40%	7.2
Vulcan	VCCG36-AR01	Single	Gas	3	6.00	3,388	-	2,141	-	39%	8.3
Vulcan	VCCG36-IC02	Single	Gas	3	6.00	2,032	-	2,291	-	38%	7.8
Vulcan	VCCG36-IS02	Single	Gas	3	6.00	2,977	-	2,169	-	40%	7.2
Vulcan	VCCG48-IC02	Single	Gas	4	8.00	2,032	-	2,291	-	38%	7.8
Vulcan	VCCG48-IS02	Single	Gas	4	8.00	2,977	-	2,169	-	40%	7.2
Vulcan	VCCG60-IC02	Single	Gas	5	10.00	2,032	-	2,291	-	38%	7.8
Vulcan	VCCG60-IS02	Single	Gas	5	10.00	2,977	-	2,169	-	40%	7.2
Vulcan	VCCG72-IS02	Single	Gas	6	12.00	2,977	-	2,169	-	40%	7.2
Wolf	IRG-36	Single	Gas	3	6.00	2,900	-	2,483	-	42%	7.2
Wolf	IRG-48	Single	Gas	4	8.00	2,900	-	2,483	-	42%	7.2

CEW Qualified Griddles

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Single or Double Sided	Fuel Type	Nominal Width (ft)	Surface Area (ft ²)	Preheat Energy		Idle Energy		Energy Efficiency (%)	Production Capacity (lbs/h)
						Gas (Btu)	Electric (Wh)	Gas (Btu)	Electric (Wh)		
Wolf	IRG-60	Single	Gas	5	10.00	2,900	-	2,483	-	42%	7.2
Wolf	IRG-72	Single	Gas	6	12.00	2,900	-	2,483	-	42%	7.2
Wood Stone	WS-GPL-4836-CT00NG	Single	Gas	4	8.00	2,318	-	2,514	-	43%	6.5
Wood Stone	WS-GPL-4836-CT01NG	Single	Gas	4	8.00	2,318	-	2,514	-	43%	6.5

[Back to Table of Contents](#)

CEW Qualified Combination Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Size (Steam Pans)	Fuel Type	Convection Mode					Steam Mode			
				Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
AccuTemp	T0621IN	12	Gas	7,235	4030	57%	107	-	4,235	57%	182	-
Alto-Shaam	7.14 ESG	14	Gas	8,100	7930	49%	133	0	9,530	40%	198	4.6
Alto-Shaam	CTC7-20G	16	Gas	6,773	5517	60%	173	1.3	1,654	52%	161	0.9
Alto-Shaam	CTP10-20G	22	Gas	8,682	6964	61%	225	7.7	3,298	51%	261	6.6
Alto-Shaam	CTP20-20G	40	Gas	16,117	12193	63%	402	0.4	2,537	50%	325	9.1
Alto-Shaam	CTP7-20G	14	Gas	6,767	5950	59%	142	10.6	5,456	47%	250	12.2
Angelo Po	FX122G3**	24	Gas	9,304	7693	63%	216	1.8	8,696	55%	223	2.6
Angelo Po	FX202G3**	40	Gas	21,330	11087	63%	369	2.5	13,236	59%	501	5.8
Angelo Po	FX82G3**	16	Gas	7,387	6550	60%	145	2	7,334	54%	191	3.7
BKI	AETG102R	20	Gas	10,670	6706	64%	168	-	5,324	45%	170	-
Blodgett	BLC*-102G	20	Gas	7,042	6717	60%	181	0	17,254	42%	148	19.1
Blodgett	BLC*-62G	10	Gas	6,621	4212	59%	114	0	13,431	50%	144	10.0
Convotherm	C4e* 10.20GS	22	Gas	7,559	7127	63%	227	0	7,066	58%	299	1.7
Convotherm	C4e* 20.20GB	40	Gas	13,996	10270	61%	391	3.3	11,927	48%	352	9.6
Convotherm	C4e* 6.20GB	14	Gas	5,187	5438	62%	132	0	7,439	51%	167	4.3
Convotherm	C4e* 6.20GS	14	Gas	4,977	5101	62%	141	0	5,003	58%	204	2.5
Convotherm	OGB-6.20	14	Gas	6,509	5144	60%	150	19.1	12,123	44%	198	10.8
Convotherm	OGS-10.20	22	Gas	8,540	7100	61%	210	0	7,370	47%	277	0.9
Convotherm	OGS-20.20	40	Gas	17,901	6703	61%	415	42.3	10,604	57%	649	14.8
Convotherm	OGS-6.20	14	Gas	5,140	4801	59%	133	0	5,099	57%	187	2.2
Electrolux	Air-O-Convect AOS062GCP1	12	Gas	4,356	7175	55%	132	0	11,752	48%	160	2.9
Eloma	Genius *T10-11	10	Gas	5,396	8000	60%	103	0	13,317	51%	189	4.2
Eloma	Genius *T6-11	6	Gas	3,763	5077	57%	66	0	9,515	48%	119	2.9
Henny Penny	FPG115	10	Gas	4,960	3755	61%	104	0	8,081	53%	168	9.2
Henny Penny	GCC615	6	Gas	3,655	4481	52%	60	0	7,455	44%	78	7.3
Henny Penny	GSC115	10	Gas	5,234	5531	57%	90	0	8,467	46%	140	6.1
Lainox	NAGB071	7	Gas	3,750	4650	56%	63	2.6	7,531	43%	107	4.7
Lainox	NAGB072	14	Gas	6,538	5932	56%	135	3.8	7,224	46%	211	6.2
Lainox	NAGB101	10	Gas	5,440	5387	58%	95	0	6,748	44%	158	8.3

CEW Qualified Combination Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Size (Steam Pans)	Fuel Type	Convection Mode					Steam Mode			
				Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
Lainox	NAGB201	20	Gas	10,516	7784	60%	220	12.9	6,119	44%	297	12.3
Lainox	NAGB202	40	Gas	13,709	10921	61%	403	13.4	8,683	55%	526	12.3
Lainox	NAGV071	7	Gas	3,750	4650	57%	64	2.3	4,861	50%	93	1.0
Lainox	NAGV072	14	Gas	6,538	5932	56%	135	3.8	7,556	50%	156	3.5
Lainox	NAGV101	10	Gas	5,440	5387	59%	95	0	6,421	46%	107	6.0
Lainox	NAGV201	20	Gas	10,516	7784	60%	220	12.9	7,833	54%	285	8.3
Lainox	NAGV202	40	Gas	13,709	10921	31%	403	13.4	11,729	56%	421	3.1
Lang	CPE 2.10G	20	Gas	7,042	6717	60%	181	0	17,254	42%	148	19.1
Piper	HMG072X	14	Gas	6,093	6456	54%	124	16.2	14,905	46%	211	19.4
Rational	SCCWE101NG B1182***	10	Gas	9,908	4365	62%	106	-	5,743	44%	251	-
Rational	SCCWE102NG B1282***	20	Gas	8,130	5340	57%	189	0.3	7,380	43%	313	33.8
Rational	SCCWE202NG B2282***	40	Gas	12,556	9403	56%	373	12.1	14,447	56%	630	32.6
Rational	SCCWE61NG B6182***	6	Gas	3,170	3735	57%	64	3.5	8,430	45%	119	12.0
Rational	SCCWE62NG B6282***	12	Gas	4,952	3558	58%	126	9.2	7,769	54%	232	12.0
UNOX	XAVC-06-FS-GP*	12	Gas	5,911	4918	60%	117	0	8,506	48%	181	4.7
UNOX	XAVC-10FS-GP*	20	Gas	7,975	4051	63%	189	0	4,765	49%	260	12.7

[Back to Table of Contents](#)

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
American Range	M-1	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GL	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GR	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GL	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GR	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	MSD-1	Full	5	Gas	70,000	10,536	11,714	46%	85	0.34
American Range	MSD-2	Full	5	Gas	70,000	10,536	11,714	46%	85	0.34
Atosa	ATCO-513B	Full	5	Gas	46,000	9,395	11,145	54%	82	0.46
Bakers Pride	BCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	CO11-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	GDCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COB-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COM-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Blodgett	BDO-100G-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-K12-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-200-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG-200-K12-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG100	Full	5	Gas	55,000	10,800	11,200	46%	84	0.43
Blodgett	HV100G	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	ZEPH 100-G-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	ZEPH 200-G-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Blue Seal	G32D5	Full	5	Gas	34,500	5,930	12,000	49%	61	0.13
Duke Manufacturing	613Q-G1V	Full	5	Gas	40,000	9,900	10,000	56%	93	0.47
Duke Manufacturing	E101-G	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E101-GV	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E102-G	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Garland	MCO-GS-10 ESS	Full	5	Gas	60,000	13,400	12,000	48%	103	0.74
Garland	MCO-GS-20 ESS	Full	5	Gas	60,000	13,400	12,000	48%	103	0.74
Hobart	HGC5-****	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC5D-****	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC5DX-****	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Hobart	HGC5X-*****	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Imperial	ICVG-1	Full	6	Gas	70,000	13,143	11,435	53%	102	0.38
Imperial	ICVG-2	Full	6	Gas	70,000	13,143	11,435	53%	102	0.38
Lang	GCSF	Full	5	Gas	60,000	12,085	9,293	46%	99	0.4
Moffat	G32D5	Full	5	Gas	34,500	5,930	12,000	49%	61	0.13
Montague	HX-63A*	Full	5	Gas	63,000	13,244	9,864	49%	97	0.63
Montague	HX2-63A*	Full	5	Gas	63,000	13,244	9,864	49%	97	0.63
Revent	ONE39G	Full	8	Gas	85,000	12,461	3,516	69%	127	0.61
Royal	RCOS-1	Full	5	Gas	70,000	12,465	8,866	55%	95	0.47
Royal	RCOS-2	Full	5	Gas	70,000	12,465	8,866	55%	95	0.47
Southbend	BGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	BGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/15CCH	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/15SC	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/25CCH	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/25SC	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	PCR-1G	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	PCR-2G	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/12CCH	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/12SC	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/22CCH	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/22SC	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Superior	GDCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Tri-Star	TSCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Vulcan	SG4*	Full	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	SG44*	Full	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	VC44G*	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC4G*	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC55G*-.**D*	Full	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC5G*-.**D*	Full	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC66G*	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Vulcan	VC6G*	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Wolf	WKGD	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53

[Back to Table of Contents](#)

CEW Qualified Conveyor Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Name	Model Number	Conveyor Width (in)	Fuel Type	Preheat Energy (Btu)	Idle Rate (Btu/h)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy Rate (kW)
Edge	-	EDGE60	34	Gas	12,053	23,868	50%	167	0.34
Lincoln	Impinger	1600-***-U-K****	32	Gas	14,751	36,393	46%	175	0.57
Lincoln	Impinger with Quest EMS	1600-***-U-K****-AQ	32	Gas	14,751	23,402	46%	175	0.57
Lincoln	Impinger	3270-***-N-K****	32	Gas	32,400	53,800	44%	273	0.78
Middleby	-	PS570	32	Gas	36,900	40,600	47%	219	1.01
Middleby	WOW	PS670	32	Gas	23,070	37,465	48%	242	1.24
Middleby	WOW	PS770	32	Gas	23,070	37,465	48%	242	1.24
Middleby	WOW	PS870	32	Gas	23,070	37,465	48%	242	1.24
Middleby	WOW	PS970	32	Gas	23,070	37,465	48%	242	1.24
XLT	X3F	3240-HP	32	Gas	14,472	36,696	43%	115	0.47
XLT	-	3255	32	Gas	14,400	41,700	42%	170	0.35
XLT	-	3255D	32	Gas	14,400	41,700	42%	170	0.35
XLT	-	3270	32	Gas	31,060	42,615	47%	158	0.65
XLT	-	3270-2B	32	Gas	22,076	46,017	47%	254	0.83
XLT	-	3855	38	Gas	17,343	45,004	45%	230	0.43
XLT	-	3870-2B	38	Gas	22,963	56,500	44%	253	0.85

[Back to Table of Contents](#)

CEW Qualified Rack Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Size	Fuel Type	Preheat Energy (Btu)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy Rate (kW)
Adamatic Corporation	PRO2G	Double	Gas	91,380	37,852	50%	261	1.68
Baxter	BXA2G	Double	Gas	71,387	32,321	56%	288	1.07
Baxter	OV500G2	Double	Gas	71,387	32,321	56%	288	1.07
Baxter	OV500G2-EE	Double	Gas	53,452	26,016	55%	277	1.01
Belshaw Adamatic	OVEN-2020	Double	Gas	37,838	17,029	66%	293	1.08
Doyon	SRO2G	Double	Gas	58,807	25,161	55%	293	1.22
EM Bakery Equipment	Roller 89	Double	Gas	82,456	31,873	52%	266	1.98
Gemini Bakery	V42	Double	Gas	84,134	28,292	52%	280	1.30
Hobart	HBA-2G	Double	Gas	71,387	32,321	56%	288	1.07
LBC Bakery Equipment	LRO-2G	Double	Gas	72,510	23,485	54%	273	1.10
LBC Bakery Equipment	LRO-2G4	Double	Gas	62,775	21,890	52%	284	1.09
LBC Bakery Equipment	LRO-2G5	Double	Gas	70,950	19,300	62%	273	1.30
MIWE	RI e+ 1.0711-TL	Double	Gas	89,471	31,274	52%	282	1.60
Revent	724	Double	Gas	83,734	24,742	58%	288	2.13
Sveba-Dahlen	V42	Double	Gas	102,250	28,050	54%	316	1.07
TMB Baking	XL2	Double	Gas	88,430	35,890	53%	294	2.60

[Back to Table of Contents](#)

CEW Qualified Steam Cookers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Steamer Type	Pan Capacity	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lb/h)	Water Use (gph)
AccuTemp	N6*****	Boilerless	6 pan	Gas	8,054	1,198	44%	132	1.8
American Cook Systems	SG-6	Boilerless	6 pan	Gas	8,226	1,266	45%	141	< 3
Cleveland	22CGT3.1	Boilerless	3 pan	Gas	6,520	2,440	39%	44	2.2
Cleveland	22CGT6.1	Boilerless	6 pan	Gas	7,880	3,640	43%	84	1.7
Cleveland	24CGA10.2ES	Steam Generator	10 pan	Gas	15,616	3,894	45%	181	15.8
Cleveland	24CGA6.2ES	Steam Generator	6 pan	Gas	14,472	5,764	48%	129	11.8
Intek	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0
Market Forge	ETP-10G	Steam Generator	10 pan	Gas	16,690	5,766	40%	182	7.5
Market Forge	Sirius II-10	Boilerless	10 pan	Gas	12,850	11,442	48%	127	1.4
Market Forge	Sirius II-12	Boilerless	12 pan	Gas	13,000	11,184	47%	126	1.8
Market Forge	Sirius II-4	Boilerless	4 pan	Gas	6,350	5,850	49%	64	0.5
Market Forge	Sirius II-6	Boilerless	6 pan	Gas	6,500	5,592	47%	63	0.9
Market Forge	Sirius II-8	Boilerless	8 pan	Gas	12,700	11,700	49%	128	1
Unified Brands, Inc/Groen	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0

[Back to Table of Contents](#)